UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL PLASTIC 4L/NS	IS DESIGN: WELLINGLUDWIK							
	Description : 4-Legs armchair with chromed or painted steel frame, shell and seat in polypropylene.							
	Use: indoor							
	8 0,0 ° 0,00 ° H 0 ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °							
	82 46 61 56 68							
END USE	Seating for outdoor furnishings suitable to fit into bars, restaurants, public spaces but also perfect to furnish residential spaces.							
COMPONENTS	The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).							
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).							
	The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet.							
	Packaging is made of corrugated double wave cardboard box and protective elements.							
	This article stood tests provided for by standards: - EN 1728:2012 + AC:2013 Seat and back fatigue test, L2 (extreme) according to table 1 of EN 16139:2013							
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).							
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.							
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.							
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back.							
	Do not stand on the chair.							
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.							
PRECAUTIONS FOR USE	Please keep away from any heating source.							
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.							
	Arrmet srl is not liable for any damage that may result from the product misuse.							
ECOLOGY	Harmful substances							
	This product is not toxic nor hazardous to human health, animals or environment.							
	Waste disposal							
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable							
	recycling point.							
	This products can be easily disassembled, facilitating disposal.							
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.							

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL PLA+W 4L/NS	DESIGN: WELLINGLUDWIK 1127 Description: (I) and greenhair with abromed or painted steel frame polygropylone shall and basic venes woods							
	Description : 4-Legs armchair with chromed or painted steel frame, polypropylene shell and basic veneer woode seat							
	Use: indoor							
	82 46 61 56 68							
ND USE	Seating for outdoor furnishings suitable to fit into bars, restaurants, public spaces but also perfect to furnish residential spaces.							
COMPONENTS	The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).							
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Mil (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).							
	The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished.							
	The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpe							
	Packaging is made of corrugated double wave cardboard box and protective elements.							
	This article stood tests provided for by standards:							
ERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain an "substance of very high concern" (SVHC).							
RDINARY CLEANING ND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.							
XTRAORDINARY MAINTENANCE	Supplier suggested personnel only.							
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair.							
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.							
RECAUTIONS FOR USE	Please keep away from any heating source.							
	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight.							
	In case of children use, please consider the supervision of an adult.							
	Arrmet srl is not liable for any damage that may result from the product misuse.							
ECOLOGY	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.							
	Waste disposal							
-	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable							
	recycling point. This products can be easily disassembled, facilitating disposal.							
	24 + 2 months as referred to in 99/44/CE European directive.							

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL PLA+W 4L/NS	DESIGN: WELLINGLUDWIK 1127 Description: (I) and greenhair with abromed or painted steel frame polygropylone shall and basic venes woods							
	Description : 4-Legs armchair with chromed or painted steel frame, polypropylene shell and basic veneer woode seat							
	Use: indoor							
	82 46 61 56 68							
ND USE	Seating for outdoor furnishings suitable to fit into bars, restaurants, public spaces but also perfect to furnish residential spaces.							
COMPONENTS	The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).							
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Mil (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).							
	The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished.							
	The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpe							
	Packaging is made of corrugated double wave cardboard box and protective elements.							
	This article stood tests provided for by standards:							
ERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain an "substance of very high concern" (SVHC).							
RDINARY CLEANING ND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.							
XTRAORDINARY MAINTENANCE	Supplier suggested personnel only.							
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair.							
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.							
RECAUTIONS FOR USE	Please keep away from any heating source.							
	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight.							
	In case of children use, please consider the supervision of an adult.							
	Arrmet srl is not liable for any damage that may result from the product misuse.							
ECOLOGY	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.							
	Waste disposal							
-	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable							
	recycling point. This products can be easily disassembled, facilitating disposal.							
	24 + 2 months as referred to in 99/44/CE European directive.							

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL FABRIC 4L/NS	DESIGN: WELLINGLUDWIK 1127							
	Description: 4-Legs armchair with chromed or painted steel frame, shell and seat in upholstered polypropylene with flame-retardant polyurethane foam.							
	Use: indoor							
	KG 9	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0,00 ^	1 A 1 D	□ 1			
1 1	82 47	61	56 68	7 160 👚 3,0				
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.							
	The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (GD), brass (BR) and black nickel (NK).							
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.							
	The glide plugs are made of plastic material, black coloured.							
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).							
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.							
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).							
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.							
EXTRAORDINARY MAINTENANCE	Supplier suggested pe							
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back.							
	Do not stand on the chair. Check periodically that the screws are correctly tightened.							
	Be careful not to sit off the seating centre.							
PRECAUTIONS FOR USE	Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit.							
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.							
	Arrmet srl is not liable for any damage that may result from the product misuse.							
ECOLOGY	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.							
	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.							
	This products can be easily disassembled, facilitating disposal.							
WARRANTY	24 + 2 months as refer	red to in 99/44/CE Eu	uropean directive.					