













































| MANI ARMSHEL PLASTIC SL/NS   |  | DESIGN: WELLINGLUDWIK  |  | 1129   |   |
|--|--|--|--|--|---|
| <div><div>NEW</div></div>   | <b>Description:</b> Sled armchair with chromed or painted steel frame, shell and seat in polypropylene.  |  |  |  |   |
|  | <b>Use:</b> indoor   |  |  |  |   |
|  |  8  |  0,0 <sup>A</sup><br>0,0 <sup>D</sup> |  0,00 <sup>A</sup><br>0,00 <sup>D</sup> |  0 <sup>A</sup><br>0 <sup>D</sup> |  1 |
|  |   |  |  |  |   |
| END USE  | Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.   |  |  |  |   |
| COMPONENTS   | The <b>frame</b> is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).   |  |  |  |   |
|  | The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).   |  |  |  |   |
|  | <b>Gliders</b> are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.  |  |  |  |   |
|  | <b>Packaging</b> is made of corrugated double wave cardboard box and protective elements.  |  |  |  |   |
| CERTIFICATION  | <b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).  |  |  |  |   |
| ORDINARY CLEANING AND MAINTENANCE  | Any spills should be wiped up immediately with a clean, dry rag.<br>Use neutral detergents only.<br>Avoid cleaning with abrasive sponges.<br>* For upholstered version, download our cleaning and maintenance fabric guide from our download area.   |  |  |  |   |
| EXTRAORDINARY MAINTENANCE  | Supplier suggested personnel only.   |  |  |  |   |
| PRECAUTIONS FOR USE  | The chair must be used with its four legs resting on the floor at all times.<br>Do not sit on the back.<br>Do not stand on the chair.<br>Check periodically that the screws are correctly tightened.<br>Be careful not to sit off the seating centre.<br>Please keep away from any heating source.<br>We advise not to use this product when exceeding 100 Kg load limit.<br>The product could change the colour and shade, if exposed to direct sunlight.<br>In case of children use, please consider the supervision of an adult.<br><br><i>Arrmet srl is not liable for any damage that may result from the product misuse.</i> |  |  |  |   |
| ECOLOGY  | <b>Harmful substances</b><br>This product is not toxic nor hazardous to human health, animals or environment.  |  |  |  |   |
|  | <b>Waste disposal</b><br>Dispose this product responsibly after use at the end of its life.<br>Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.<br>This products can be easily disassembled, facilitating disposal.   |  |  |  |   |
| WARRANTY   | 24 + 2 months as referred to in 99/44/CE European directive.   |  |  |  |   |
| This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool. |  |  |  |  |   |

| MANI ARMSHEL PLA+W SL/NS   |   | DESIGN: WELLINGLUDWIK   |  | 1129 |  |  |
|--|---|---|--|------|--|--|
|   | <b>Description:</b> Sled armchair with chromed or painted steel frame, polypropylene shell and basic veneer wooden seat   |   |  |      |  |  |
|  | <b>Use:</b> indoor  |   |  |      |  |  |
|  | <div><div> 8</div><div> 0<sup>A</sup><br/>0<sup>D</sup></div><div> 0<sup>A</sup><br/>0<sup>D</sup></div><div> 0<sup>A</sup><br/>0<sup>D</sup></div><div> 1</div></div> |   |  |      |  |  |
|  |   | <div><div> 82</div><div> 46</div><div> 61</div><div> 56</div><div> 68</div></div>  |  |      |  |  |
| END USE  |   | Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.  |  |      |  |  |
| COMPONENTS   |   | The <b>frame</b> is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (GD), brass (BR) and black nickel (NK).  |  |      |  |  |
|  |   | The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).  |  |      |  |  |
|  |   | The <b>seat</b> is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4).<br>Wood is water-based varnished.   |  |      |  |  |
|  |   | <b>Gliders</b> are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.   |  |      |  |  |
|  |   | <b>Packaging</b> is made of corrugated double wave cardboard box and protective elements.   |  |      |  |  |
| CERTIFICATION  |   | <b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).   |  |      |  |  |
| ORDINARY CLEANING AND MAINTENANCE  |   | Any spills should be wiped up immediately with a clean, dry rag.<br>Use neutral detergents only.<br>Avoid cleaning with abrasive sponges.<br>* For upholstered version, download our cleaning and maintenance fabric guide from our download area.  |  |      |  |  |
| EXTRAORDINARY MAINTENANCE  |   | Supplier suggested personnel only.  |  |      |  |  |
| PRECAUTIONS FOR USE  |   | The chair must be used with its four legs resting on the floor at all times.<br>Do not sit on the back.<br>Do not stand on the chair.<br>Check periodically that the screws are correctly tightened.<br>Be careful not to sit off the seating centre.<br>Please keep away from any heating source.<br>The product could change the colour and shade, if exposed to direct sunlight.<br>In case of children use, please consider the supervision of an adult.<br><br><i>Arrmet srl is not liable for any damage that may result from the product misuse.</i> |  |      |  |  |
| ECOLOGY  |   | <b>Harmful substances</b><br>This product is not toxic nor hazardous to human health, animals or environment.<br><br><b>Waste disposal</b><br>Dispose this product responsibly after use at the end of its life.<br>Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.<br>This products can be easily disassembled, facilitating disposal.   |  |      |  |  |
| WARRANTY   |   | 24 + 2 months as referred to in 99/44/CE European directive.  |  |      |  |  |
| This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool. |   |   |  |      |  |  |

| MANI ARMSHELL PLA+F SL/NS  |  | DESIGN: WELLINGLUDWIK   |  | 1129   |  |
|--|--|---|--|--|--|
|   | <b>Description:</b> Non-stackable sled armchair with chromed or painted steel frame, polypropylene shell and upholstered seat. |   |  |  |  |
|  | <b>Use:</b> indoor   |   |  |  |  |
|  |  8,5  |  0 <sup>A</sup><br>0 <sup>D</sup>  |  0 <sup>A</sup><br>0 <sup>D</sup> |  0 <sup>A</sup><br>0 <sup>D</sup> |  0    |
|  |  82   |  47  |  61                               |  56                                 |  68     |
|  |  |  40  |  |  |  0,80 |
| END USE  |  | Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.  |  |  |  |
| COMPONENTS   |  | The <b>frame</b> is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).  |  |  |  |
|  |  | The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).  |  |  |  |
|  |  | The <b>cushion</b> is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.   |  |  |  |
|  |  | The <b>gliders</b> are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.   |  |  |  |
|  |  | The <b>packaging</b> is made of corrugated double wave cardboard box and protective elements.   |  |  |  |
| CERTIFICATION  |  | The <b>REACH</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).  |  |  |  |
| ORDINARY CLEANING AND MAINTENANCE  |  | Any spills should be wiped up immediately with a clean, dry rag.<br>Use neutral detergents only.<br>Avoid cleaning with abrasive sponges.<br>* For upholstered version, download our cleaning and maintenance fabric guide from our download area.  |  |  |  |
| EXTRAORDINARY MAINTENANCE  |  | Supplier suggested personnel only.  |  |  |  |
| PRECAUTIONS FOR USE  |  | The chair must be used with its four legs resting on the floor at all times.<br>Do not sit on the back.<br>Do not stand on the chair.<br>Check periodically that the screws are correctly tightened.<br>Be careful not to sit off the seating centre.<br>Please keep away from any heating source.<br>We advise not to use this product when exceeding 100 Kg load limit.<br>The product could change the colour and shade, if exposed to direct sunlight.<br>In case of children use, please consider the supervision of an adult. |  |  |  |
|  |  | Arrmet srl is not liable for any damage that may result from the product misuse.  |  |  |  |
| ECOLOGY  |  | <b>Harmful substances</b><br>This product is not toxic nor hazardous to human health, animals or environment.   |  |  |  |
|  |  | <b>Waste disposal</b><br>Dispose this product responsibly after use at the end of its life.<br>Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.<br>This products can be easily disassembled, facilitating disposal.  |  |  |  |
| WARRANTY   |  | 24 + 2 months as referred to in 99/44/CE European directive.  |  |  |  |
| This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool. |  |   |  |  |  |

| MANI ARMSHELL FABRIC SL/NS  |   | DESIGN: WELLINGLUDWIK   |  | 1129 |  |  |
|---|---|---|--|------|--|--|
|    | <b>Description:</b> Sled armchair with chromed or painted steel frame, shell and seat in upholstered polypropylene with flameretardant polyurethane foam.   |   |  |      |  |  |
|   | <b>Use:</b> indoor  |   |  |      |  |  |
|   | <div><div> 9,6</div><div> 0 <sup>A</sup></div><div> 0 <sup>A</sup></div><div> 1 <sup>A</sup><br/>1 <sup>D</sup></div><div> 1</div></div> |   |  |      |  |  |
|   |   | <div><div> 82</div><div> 47</div><div> 61</div><div> 56</div><div> 68</div></div>  |  |      | <div><div> 160</div><div> 3,00</div></div> |  |
| END USE   |   | Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.  |  |      |  |  |
| COMPONENTS  |   | <p>The <b>frame</b> is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).</p> <p>The <b>shell</b> is made of polypropylene (PP), injection-moulded, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.</p> <p>The <b>glide plugs</b> are made of plastic material black coloured or felted surface.</p> <p><b>Packaging</b> is made of corrugated double wave cardboard box and protective elements.</p> |  |      |  |  |
| CERTIFICATION   |   | <b>REACH:</b> is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).   |  |      |  |  |
| ORDINARY CLEANING AND MAINTENANCE   |   | Any spills should be wiped up immediately with a clean, dry rag.<br>Use neutral detergents only.<br>Avoid cleaning with abrasive sponges.<br>* For upholstered version, download our cleaning and maintenance fabric guide from our download area.  |  |      |  |  |
| EXTRAORDINARY MAINTENANCE   |   | Supplier suggested personnel only.  |  |      |  |  |
| PRECAUTIONS FOR USE   |   | <p>The chair must be used with its four legs resting on the floor at all times.<br/>Do not sit on the back.<br/>Do not stand on the chair.<br/>Check periodically that the screws are correctly tightened.<br/>Be careful not to sit off the seating centre.<br/>Please keep away from any heating source.<br/>We advise not to use this product when exceeding 100 Kg load limit.<br/>The product could change the colour and shade, if exposed to direct sunlight.<br/>In case of children use, please consider the supervision of an adult.</p> <p>Arrmet srl is not liable for any damage that may result from the product misuse.</p>  |  |      |  |  |
| ECOLOGY   |   | <p><b>Harmful substances</b><br/>This product is not toxic nor hazardous to human health, animals or environment.</p> <p><b>Waste disposal</b><br/>Dispose this product responsibly after use at the end of its life.<br/>Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.<br/>This products can be easily disassembled, facilitating disposal.</p>  |  |      |  |  |
| WARRANTY  |   | 24 + 2 months as referred to in 99/44/CE European directive.  |  |      |  |  |
| This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool. |   |   |  |      |  |  |