## ARRMET SRL

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL PLA ST/4L-NS	DESIGN: WELLINGLUDWIK	1133	
	<b>Description</b> : 4-Legs stool with chromed or painted steel frame, shell and seat in polypropylene.		
A	Use: indoor		
	KG 0		
	112 75 61 56 98		
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.		
	The <b>frame</b> is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).		
COMPONENTS	The <b>shell</b> is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).		
	The <b>glide plugs</b> are made of plastic material black coloured. On request glide plugs with felted surface or carpet.		
	Packaging is made of corrugated double wave cardboard box and protective elements.		
	Questo articolo ha superato i test previsti dalle norme		
CERTIFICATION	<b>REACH</b> : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).		
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.		
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		
PRECAUTIONS FOR USE	The stool must be used with its four legs resting on the floor at all times. Do not sit on the back.		
	Do not stand on the chair.		
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.		
	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight.		
	In case of children use, please consider the supervision of an adult.		
	Arrmet srl is not liable for any damage that may result from the product misuse.		
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.		
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.		
	·		



## MANI ARMSHELL PLA+W ST/4L-NS DESIGN: WELLINGLUDWIK 1133 Description: Non-stackable 4-Legs stool with chromed or painted steel frame, polypropylene shell and basic veneer wooden seat Use: indoor 0 112 Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect **END USE** to fit into residential spaces. The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK). The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). COMPONENTS The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished. The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet. Packaging is made of corrugated double wave cardboard box and protective elements Questo articolo ha superato i test previsti dalle norme: CERTIFICATION REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. ORDINARY CLEANING Avoid cleaning with abrasive sponges. AND MAINTENANCE For upholstered version, download our cleaning and maintenance fabric guide from our download area. **EXTRAORDINARY MAINTENANCE** Supplier suggested personnel only. The chair must be used with its five castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. PRECAUTIONS FOR USE Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. **ECOLOGY** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal. WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.



## MANI ARMSHELL PLA+F ST/4L-NS DESIGN: WELLINGLUDWIK 1133 Description: 4-Legs stool with chromed or painted steel frame, polypropylene shell and upholstered seat. 0,0 0,0 A 0.0 112 76 Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect **END USE** to fit into residential spaces. The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK). The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). COMPONENTS The cushion is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet Packaging is made of corrugated double wave cardboard box and protective elements Questo articolo ha superato i test previsti dalle norme: CERTIFICATION REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. ORDINARY CLEANING Avoid cleaning with abrasive sponges. AND MAINTENANCE \* For upholstered version, download our cleaning and maintenance fabric guide from our download area. **EXTRAORDINARY MAINTENANCE** Supplier suggested personnel only. The stool must be used with its four legs resting on the floor at all times. Do not sit on the back Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. PRECAUTIONS FOR USE Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal **ECOLOGY** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal. WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.



MANI ARMSHELL FA ST/4L-NS	DESIGN: WELLINGLUDWIK 1133		
	Description: 4-Legs stool with chromed or painted steel frame, shell and seat in upholstered polypropylene with flameretardant polyurethane foam.  Use: indoor		
AA			
	112   76   61   56   98   7 160 \$\mathbb{3}\$ 3,00		
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfet of fit into residential spaces.		
	The <b>frame</b> is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).		
COMPONENTS	The <b>shell</b> is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.		
	The <b>glide plugs</b> are made of plastic material black coloured. On request glide plugs with felted surface or carpet.		
	Packaging is made of corrugated double wave cardboard box and protective elements.		
CERTIFICATION	REACH: is the European Union regulation that addresses the production and use of chemical substances.  This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).  Any spills should be wiped up immediately with a clean, dry rag.  Use neutral detergents only.  Avoid cleaning with abrasive sponges.		
ORDINARY CLEANING AND MAINTENANCE			
	* For upholstered version, download our cleaning and maintenance fabric guide from our download area.		
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		
PRECAUTIONS FOR USE	The chair must be used with its four castors resting on the floor at all times.  Do not sit on the back.  Do not stand on the chair.  Check periodically that the screws are correctly tightened.  Be careful not to sit off the seating centre.  Please keep away from any heating source.  We advise not to use this product when exceeding 100 Kg load limit.  The product could change the colour and shade, if exposed to direct sunlight.  In case of children use, please consider the supervision of an adult.		
	Arrmet srl is not liable for any damage that may result from the product misuse.		
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.		
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.		

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.