ARRMET SRL

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL PLA ST/SL-NS	DESIGN: WELLINGLUDWIK 1135			
	Description: Sled stool with chromed or painted steel frame, shell and seat in polypropylene.			
	Use: indoor			
	KG 10			
	112 75 61 56 98			
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perf to fit into residential spaces.			
	The frame is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the followin colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).			
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). Gliders are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request glider with felted surface.			
				Packaging is made of corrugated double wave cardboard box and protective elements.
	CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).		
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.			
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.			
	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.			
PRECAUTIONS FOR USE	Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.			
	Arrmet srl is not liable for any damage that may result from the product misuse.			
	Harmful substances This product is not toxic nor hazardous to human health, animals or	environment.		
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by recycling point. This products can be easily disassembled, facilitating disposal.	y your local authority, or take it to a suitable		
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.			

 $This \ product \ data sheet \ comply \ with \ Italian \ regulation \ (D.Lgs \ 6th \ September \ 2005, n. \ 206 \ "Codice \ del \ Consumo"), on the \ subject \ of \ consumer \ information \ and \ implementation \ tool.$



Use: indoo Light 10 Light 112 END USE Seating sure to fit into recolours: ble chromium The shell is (PP16), Pal COMPONENTS The cushic chosen by Gliders are with felted Packaging CERTIFICATION REACH: is This produe "substance" Any spills a Use neutro Avoid clea to recolour the shell is to fit into r	o,0 o o o o o o o o o o o o o o o o o o		
END USE Seating sure to fit into recolours: ble chromium The shell is (PP16), Pal COMPONENTS The cushic chosen by Gliders are with felted existed for the packaging CERTIFICATION REACH: is This produ "substance with felted substance for the packaging of t	o,0 o o o o o o o o o o o o o o o o o o		
END USE Seating su to fit into range colours: ble chromium The shell is (PP16), Pal COMPONENTS The cushic chosen by Gliders are with felted Packaging CERTIFICATION REACH: is This produ "substance" Any spills substance Avoid cleated and MAINTENANCE EXTRAORDINARY MAINTENANCE The stool range in	76 61 56 98 0,80 iitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect residential spaces. is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following ack (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, plated (CRO), gold (SG), brass (BR) and black nickel (NK). Is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk e pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). In is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. It is made of corrugated double wave cardboard box and protective elements. The European Union regulation that addresses the production and use of chemical substances. at contains only substances compliant with the abovementioned regulation and does not contain any		
END USE Seating su to fit into r The frame colours: ble chromium The shell is (PP16), Pal COMPONENTS The cushic chosen by Gliders are with felted Packaging REACH: is This produ "substance" Any spills substance Any spills substance Any Spills substance Any Spills substance EXTRAORDINARY MAINTENANCE Supplier substance The stool r Do not sit	itiable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfectesidential spaces. is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following ack (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, plated (CRO), gold (SG), brass (BR) and black nickel (NK). Is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk e pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). In is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. It is made of corrugated double wave cardboard box and protective elements. The European Union regulation that addresses the production and use of chemical substances. ct contains only substances compliant with the abovementioned regulation and does not contain any		
The frame colours: ble chromium The shell is (PP16), Pal COMPONENTS The cushic chosen by Gliders are with felted Packaging REACH: is This produ "substance" ORDINARY CLEANING AND MAINTENANCE EXTRAORDINARY MAINTENANCE The stool r Do not sit	residential spaces. is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following ack (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, plated (CRO), gold (SG), brass (BR) and black nickel (NK). Is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk e pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). In is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. It is made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders a surface. It is made of corrugated double wave cardboard box and protective elements. The European Union regulation that addresses the production and use of chemical substances. ct contains only substances compliant with the abovementioned regulation and does not contain any		
colours: ble chromium The shell is (PP16), Pal COMPONENTS The cushic chosen by Gliders are with felted Packaging CERTIFICATION REACH: is This produ "substance	ack (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, plated (CRO), gold (SG), brass (BR) and black nickel (NK). Is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk e pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). In is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. In made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders a surface. It is made of corrugated double wave cardboard box and protective elements. The European Union regulation that addresses the production and use of chemical substances, ct contains only substances compliant with the abovementioned regulation and does not contain any		
COMPONENTS The cushic chosen by Gliders are with felted Packaging CERTIFICATION CERTIFICATI	e pink (PP17), ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). In is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. In made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders a surface. It is made of corrugated double wave cardboard box and protective elements. It is the European Union regulation that addresses the production and use of chemical substances. It is contains only substances compliant with the abovementioned regulation and does not contain any		
CERTIFICATION CERTIFICATION CERTIFICATION CERTIFICATION CRDINARY CLEANING AND MAINTENANCE EXTRAORDINARY MAINTENANCE The cushic clear of the control of the cushic clear of the cushic cushi	customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. e made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders I surface. Lis made of corrugated double wave cardboard box and protective elements. the European Union regulation that addresses the production and use of chemical substances. ct contains only substances compliant with the abovementioned regulation and does not contain any		
with felted Packaging REACH: is This produ "substance ORDINARY CLEANING AND MAINTENANCE EXTRAORDINARY MAINTENANCE With the stool of the stool o	is made of corrugated double wave cardboard box and protective elements. the European Union regulation that addresses the production and use of chemical substances, ct contains only substances compliant with the abovementioned regulation and does not contain any		
CERTIFICATION REACH: is This produ "substance ORDINARY CLEANING AND MAINTENANCE EXTRAORDINARY MAINTENANCE The stool r Do not sit	the European Union regulation that addresses the production and use of chemical substances. ct contains only substances compliant with the abovementioned regulation and does not contain any		
CERTIFICATION This produ "substance" Any spills substance ORDINARY CLEANING AND MAINTENANCE EXTRAORDINARY MAINTENANCE The stool roon to sit	ct contains only substances compliant with the abovementioned regulation and does not contain any		
ORDINARY CLEANING AND MAINTENANCE EXTRAORDINARY MAINTENANCE The stool r Do not sit	REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.		
The stool r Do not sit			
Do not sit	uggested personnel only.		
	nust be used with its sled base resting on the floor at all times.		
	nd on the chair.		
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.		
PRECAUTIONS FOR USE Please kee	Please keep away from any heating source.		
	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight.		
In case of	children use, please consider the supervision of an adult.		
Arrmet srl	is not liable for any damage that may result from the product misuse.		
Harmful s u This produ	ubstances ct is not toxic nor hazardous to human health, animals or environment.		
ECOLOGY Waste disp	posal		
Dispose th			
recycling p	is product responsibly after use at the end of its life.		
WARRANTY 24 + 2 mor	is product responsibly after use at the end of its life. ise the waste collection and recycling service operated by your local authority, or take it to a suitable		



MANI ARMSHELL PLA+W ST/SL-NS DESIGN: WELLINGLUDWIK 1135 Description: Non-stackable sled stool with chromed or painted steel frame, polypropylene shell and basic veneel wooden seat Use: indoor 10 O D Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect **END USE** to fit into residential spaces. The frame is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK). The **shell** is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). COMPONENTS The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished. Gliders are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available. Packaging is made of corrugated double wave cardboard box and protective elements. REACH: is the European Union regulation that addresses the production and use of chemical substances. CERTIFICATION This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. **ORDINARY CLEANING** Use neutral detergents only AND MAINTENANCE Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area. **EXTRAORDINARY MAINTENANCE** Supplier suggested personnel only. The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. PRECAUTIONS FOR USE Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal **ECOLOGY** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.

ARRMET SRL

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL FA ST/SL-NS	DESIGN: WELLINGLUDWIK 1135				
	Description : Sled stool with chromed or painted steel frame, shell and seat in upholstered polypropylene with flameretardant polyurethane foam.				
	Use: indoor	Use: indoor			
		1			
	112 76 61 56 78 27 160 \$ 3,00				
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.				
	The frame is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).				
COMPONENTS	The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-restardant fabric and flame-resistant foam.				
	Gliders are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available.				
	Packaging is made of corrugated double wave cardboard box and protective elements.				
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).				
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.				
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only. 98				
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source.				
PRECAUTIONS FOR USE	The product could change the colour and shade, if exposed to direct sunlight. We advise not to use this product when exceeding 100 Kg load limit. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. In case of children use, please consider the supervision of an adult.				
	Arrmet srl is not liable for any damage that may result from the product misuse.				
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.				
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.				
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.				